



# MATERIAL SAFETY DATA SHEET

## SECTION 1 — PRODUCT IDENTIFICATION

**Product identifier:** Everblum Leather Magic

**Product Number:** 1032

**Preparation Date:** 1/09/02

**Revision Date:** 4/18/08

**D.O.T. PROPER SHIPPING NAME:** ORM-D Consumer Commodity

**NFPA:** Health - 1 Flammability - 0 Corrosive - 0 Reactivity - 0

**Manufacturer's name and address:** Refer to supplier

**Supplier name and address:**

***ALBATROSS USA INC./EXPERT WORLDWIDE***

36-41 36<sup>th</sup> Street  
Long Island City, New York  
United States  
11106  
718-392-6272

5439 San Fernando Road West  
Los Angeles, California  
United States  
90039  
818-543-5850

**Emergency Telephone #:** Chemtrec (Day or Night) 800-424-9300  
(For Chemical Emergency: Spill, Leak, Fire, Exposure or Accident)

This MSDS complies with 29CFR 1910.1200 (Hazard Communication Standard) and WHMIS regulations.

This Material Safety Data Sheet contains environmental, health and toxicology information for your employees. Please make sure this information is given to them. It also contains information to help you meet community Right To Know emergency response reporting requirements under SARA TITLE III and many other laws. If you resell this product, this MSDS must be given to the buyer or the information incorporated in your MSDS.

## SECTION 2 — COMPONENTS

INERT MATERIAL  
CAS #: 7732-18-5

PEL: NOT ESTABLISHED  
TLV: NOT ESTABLISHED

TETRAPOTASSIUM PYROPHOSPHATE  
CAS #: 7320-34-5

PEL: NOT DETERMINED  
TLV: NOT DETERMINED

SODIUM METASILICATE  
CAS #: 6834-92-0

PEL: 15 MG/M3  
TLV: 10 MG/M3

DODECYLBENZENE SULFONIC ACID  
CAS #: 68584-22-5

PEL: NOT ESTABLISHED  
TLV: NOT ESTABLISHED

ETHYLENE ENEDIAMINE TETRA ACETATE  
CAS #: 1310-73-3

PEL: NOT ESTABLISHED  
TLV: NOT ESTABLISHED

ETHANOL, 2-BUTOXY  
CAS #: 111-76-2

PEL: 25 PPM  
TLV: 25 PPM

D-LIMONENE DISTILLATE CAS #: 5989-27-5	PEL: NOT ESTABLISHED TLV: NOT ESTABLISHED
NONIONIC SURFACTANT CAS #: 9016-45-9	PEL: NOT ESTABLISHED TLV: NOT ESTABLISHED
SODIUM XYLENE SULFONATE CAS #: 1300-72-7	PEL: NOT ESTABLISHED TLV: NOT ESTABLISHED
HYDROCARBON PROPELLANT CAS #: 68476-86-8	PEL: 800 PPM TLV: 800 PPM

“\*” If present, IARL, NTP and OSHA carcinogens and chemical subject to this reporting requirements of SARA TITLE III, SECTION 313 are identified in this section.

### SECTION 3 — PHYSICAL DATA

**BOILING POINT FOR PRODUCT:** 310 F  
**VAPOR PRESSURE FOR PRODUCT:** 85 mmHG  
**VAPOR DENSITY FOR PRODUCT:** N/D  
**SPECIFIC GRAVITY:** Liquid: 1.02  
**V.O.C. (GRAMS PER LITER):** Not Determined  
**SOLUBILITY IN WATER:** Complete  
**APPEARANCE:**

### SECTION 4 — FIRE & EXPLOSION DATA

**FLASH POINT (TCC):** Level 2 Aerosol  
**EXPLOSIVE LIMIT (PRODUCT):** Lower - N/A Upper - N/A

**FIRE & EXPLOSIONS HAZARDS:** Keep containers cool. Use equipment or shielding required to protect personnel against bursting, rupturing, venting containers.  
**FIRE FIGHTING EQUIPMENT:** At elevated temperatures (above 120 F) containers may vent, rupture, or burst.  
**EXTINGUISHING MEDIA:** Foam Dry Chemical, Carbon Dioxide

### SECTION 5 — HEALTH HAZARD DATA

SEC05.10  
**THRESHOLD LIMIT VALUE:** See Section 2  
**EFFECTS OF OVER EXPOSURE:** Irritation to skin and eyes.

#### **EMERGENCY FIRST AID PROCEDURES:**

**SKIN:** Wash with soap and water.  
**EYE:** Flush with water for at least 15 minutes.  
**INHALATION:** Remove to fresh air. See a physician if irritation persists.  
**ORAL:** Call a physician. Do not induce vomiting.  
**ADDITIONAL:** Contact with eyes will be painful and irritating. Prolonged or repeated contact with skin may cause irritation. Mist caused by manufacturing operations may irritate the nasal passages.

(PROPOSITION 65): SEC05

**STATE OF CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986**

**WARNING:** IN ACCORDANCE WITH PROP 65, THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS AND OTHER REPRODUCTIVE HARM.

**SECTION 6 — REACTIVITY DATA**

06.20

**STABILITY:** Stable**CONDITIONS TO AVOID:** Temperatures above 130 degree F**HAZARDOUS POLYMERIZATION:** Will not occur**MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY:** Strong oxidizing agents**HAZARDOUS DECOMPOSITION PRODUCTS:** None**SECTION 7 — SPILL OR LEAK PROCEDURES**

SEC07.45

**STEPS TO BE TAKEN IN CASE CONTAINER IS PUNCTURED AND MATERIAL IS RELEASED:** Clean up area by mopping or with absorbent materials and place in closed container for disposal. Consult Federal, State, and local disposal authorities.

**WASTE DISPOSAL METHOD:** Consult local authorities for proper waste disposal procedures. Empty de-pressurized containers can not be reused. Cans which are pressurized or contain liquid must be disposed of in a permitted waste management facility. Consult Federal, State, and local disposal authorities for approved procedures.

**SECTION 8 — PROTECTIVE EQUIPMENT TO BE USED**

SEC08.10

**VENTILATION PROCEDURE:** Use adequate ventilation**GLOVES PROTECTION:** Neoprene or nitrile rubber gloves recommended

**RESPIRATORY PROTECTION:** When applicable, wear a NIOSH approved respirator appropriate for the vapour or mist concentration at the point of use.

**EYE PROTECTION:** Safety Glasses**OTHER PROTECTION:** None**SECTION 9 — SPECIAL PRECAUTIONS OR OTHER COMMENTS**

SEC09.45

**HANDLING STORAGE AND DECONTAMINATION PROCEDURES:** When utilizing pressurized containers follow standard safety practices for handling aerosols.

**GENERAL COMMENTS:** Do not store at temperatures above 120 degree F. Odor is not an adequate warning of potentially hazardous concentrations in air. Releases of these gases may cause a flammable atmosphere with explosion potential.

**PRECAUTIONARY STATEMENTS:** Please read and follow the directions on the product label. They are your best guide to using this product in the most effective way, and give the necessary safety precautions to protect your health.

-----  
-----  
**NOTICE:**

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modification of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.